

Designed from a mechanically welded tubular structure to which a powder-coated steel sheet is attached, Artown was designed to respond to the constraints faced by signage in urban areas. If solidity and aesthetics guided the design of our designers, the sobriety of the line cannot leave us indifferent. Available in numerous powder-coated colors, the range fits easily.

Technical specifications :


Formats: A1 | A2 | A3 Height: 140cm Materials: Powder-coated steel in a choice of RAL colours Decors: ClearSign®, Lava enamel Anchoring: On a concrete base using a base plate Graphic design and installation optional. Leg customisation options

Other types in the range : Lectern, Double Lectern

Please note that specifications are subject to change.















Enameled lava corresponds to a technique created by Parisian artists in the 19th century. This involves covering a lava stone with a vitrified layer. This typically French know-how is today recognized as an art profession.

Enameled lava can receive all types of illustrations and texts, which retain their vibrant colours over the years, thanks to the properties of the material itself. Very resistant, it is an ideal product for exterior signage. Enameled lava is suitable for the "panel" part. It cannot be used to create a furniture structure.

Imprint, Company of Living Heritage

This label, awarded by the Ministry of the Economy after a series of audits, rewards companies holding rare, valuable know-how and promoting the excellence of French manufacturing throughout the world. It attests to our sensitivity to the issues of conservation and enhancement of heritage.



Main Features :



Technical specifications:

Dimensions and shapes:

Thickness 15 mm Maximum dimensions: 500 x 1000 mm (min 50 x 50 mm), Weight per m²: 22 kg

Thickness 25 mm Maximum dimensions: 1000 x 2000 mm (min 100 x 100 mm) Weight per m²: 55 kg

Types of finishing:

The unprinted surface may be glossy or satin.

Maintenance tips :

Enameled lava signage is very easy to maintain:

Ordinary dirt: cleaning with water, ordinary high-pressure cleaner permitted

Graffiti: cleaning with an ordinary antitag product, followed by rinsing with clean water.



Registered trademark, the Clearsign technique includes its main qualities in its name:

- C Clarity
- L Lightfastness
- E Environment (Eco friendly)
- A Abrasion Resistant
- **R** Recyclable

In signage, these advantages are major. The technique is however simple. A powder-coated aluminum plate is printed and powder-coated again. The print is thus encapsulated between two very hard layers. The result is stunning, the colors vibrant, the resistance incomparable, both to shocks, scratches and graffiti.

The decorations are printed in high resolution on a wide range of powder-coated colours. The varnish is necessarily shiny. Not available in matte finish.

Technical specifications:

Finishes:

Gloss - Graffiti resistant coating

Artwork Supply :

Full size, CMYK, 300 dpi jpegs, 5mm bleed, no crop marks

Impression:

Colour printing on white surface Colour printing on coloured surface White printing on coloured surface

Maintenance:

Recommended cleaning products*: Ethanol Turpentine Xylene

*Stronger solvents (MEK, Acetone, Nitrocellulose solvent, etc.) should be used with caution and will be the customer's responsibility.

Please note that specifications are subject to change.

Advantage :









Colour Clarity



Visual quality guaranteed for 7 years (excluding vandalism)



High resolution printing

Easy graffiti removal



THE RECOMMENDATIONS

Maintaining your signage

To maintain your signage (all surfaces except wood), we recommend that you completely dust the surfaces approximately once a month using a dry cloth.

Secondly, clean the plates with a soft cloth soaked in household alcohol. This measure will optimize the readability and shine of your plates.

For enameled lava, occasional use of a high-pressure cleaner (apart from the joints) can help lighten the cracking and remove stains and graffiti.

For cleaning specific stains or for any other questions, contact us.











